

Wristband Styles & Specifications

SILICONE WRISTBANDS (STYLE 1)

Sizes: dia.55MM, dia.60MM, dia.65MM, dia.74MM.

Material: Silicone

Chip: TK4100, EM4200, T5577, NXP MIFARE S70, Desfire 2K/4K/8K, Ultralight EV1, NTAG213/215/216, ICODE SLi-X(S), UCODE 8, IMPINJM4

Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)

Crafts: Logo Silk printing, Laser number, Encoding, Engrave logo and filled with color, etc

Packing: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm , G.W.: 13.7kg

Color: Pantone Color

Operating temperature: -20°C~180°C, **Writing:** 100,000 times

Application: Swimming pools, Bath centers, Access control, Ticketing, Water Parks, etc.

Key Features: Water-proof, moisture-proof, shock-proof, high temperature resistance & more.



SILICONE WRISTBANDS (STYLE 2)

Sizes: 185MM, 195MM, 205MM, 260MM

Material: Silicone

Chip: TK4100, EM4200, T5577, Hitag 1, Hitag 2, Hitag S; NXP MIFARE S50, MIFARE S70, Desfire 2K/4K/8K, Ultralight EV1, NTAG213, NTAG215, NTAG216, ICODE SLi-X(S) Alien H3, T12048, SR1512, UCODE GEN2, IMPINJM4.

Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)

Color: Pantone Color

Operating temperature: -20°C~180°C, **Writing:** 100,000 times

Crafts: Logo silk printing, Laser number, Encoding, Engrave logo and filled with color, etc

Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm, G.W.: 14kg

Key Features: Water-proof, moisture-proof, shock-proof, high temperature resistance

Applications: Swimming pools, Bath centers, Access control, Ticketing, Field operations, Waterproof inspection, Campus, etc.



SILICONE WRISTBANDS (STYLE 3)

Sizes: dia.55MM, dia.60MM, dia.65MM, dia.74MM,
Material: Silicone
Chip: TK4100, EM4200, T5577, NXP MIFARES70, Desfire 2K/4K/8K, Ultralight
EV1, NTAG213/215/216, ICODE SLi-X(S), UCODE 8, IMPINJM4 etc
Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)
Crafts: Logo Silk printing, Laser number, Encoding, Engrave logo and filled with color, etc
Packing: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm , G.W.: 13.7kg
Operating temperature: -20°C~180°C, **Writing:** 100,000 times
Applications: Swimming pool, Bath center, Access control, Ticket, Water Park & more
Key Features: Water-proof, moisture-proof, shock-proof, high temperature resistance



SILICONE WRISTBANDS (STYLE 4)

Sizes: dia.55MM, dia.62MM, dia.67MM, dia.70MM or customized
Material: Silicone
Chip: TK4100, EM4200, T5577, NXP MIFARES50, Desfire 2K/4K/8K, Ultralight
EV1, NTAG213/215/216, ICODE SLi-X(S), UCODE 8, IMPINJM4
Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)
Crafts: Logo Silk printing, Laser number, Encoding, Engrave logo and filled with color, etc
Applications: Swimming pools, Bath centers, Access control, Ticket, Water Park & more
Key Features: Water-proof, moisture-proof, shock-proof, high temperature resistance



ADJUSTABLE SILICONE (STYLE 5)

Sizes: 232MM X 35MM

Material: Silicone with Metal / plastic clip

Chip: TK4100, EM4200, T5577, F08, Mifare S50/S70, NTAG213/215/216, ICODE SLi-

X(S), Ultralight EV1, Ultralight C, Alien H3, UCODE 9, etc

Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)

Color: Pantone Color, **Operating temperature:** -20°C~180°C

Crafts: LOGO Printing, Laser Numbering, UID Laser Numbering, LOGO Debossed with colors filled, Spray Oil

Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm, G.W.: 18kg

Key Features: Waterproof, good against heat, shock, moisture

Applications: Swimming pools, Bath centers, Access control, Ticketing, Field operations, Waterproof inspection, Campus & more



ADJUSTABLE SILICONE (STYLE 6)

Sizes: 238*18*13mm (Adjustable)

Material: Silicone with stainless buckle

Chip: F08, Mifare S50/S70, NTAG213/215/216, ICODE SLi-X(S), Ultralight EV1, Ultralight C

Color: Pantone Number

Crafts: LOGO Printing, Laser Numbering, UID Laser Numbering, LOGO Debossed with colors filled, Spray Oil, etc

Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm, G.W.: 16kg

Key Features: Waterproof, good against heat, shock, moisture, etc



ADJUSTABLE SILICONE (STYLE 7)

Sizes: 235mm X 18MM X 7mm (Adjustable)
Material: Silicone with stainless buckle
Color: Based on Pantone Number
Chip: F08, MifareS50, Mifare S70, NTAG213/215/216, I-CODE SLi-X(S), Ultralight EV1, Ultralight C
Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)
Encoding: UID, Numbering or on request
Working temperature: -20°C~180°C
Crafts: LOGO Printing, Laser Numbering, UID Laser Numbering, LOGO Debossed Filled with colors
Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm, G.W.: 16kg
Key Features: Waterproof, good against heat, shock, moisture



DOUBLE COLORS SILICONE (STYLE 8)

Sizes: 257 X 26 X 7mm, Double color silicone wristband, Insert metal buckle in advance
Chip: TK4100, EM4200, T5577, F08, Mifare S50/S70, NTAG213/215/216, ICODE SLi-X(S), Ultralight EV1, Ultralight C, Alien H3, UCODE 9
Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)
Color: Both sides can custom with Pantone Color
Operating temperature: -20°C~180°C
Crafts: Number printing (Serial No & Chip UID etc), QR, Barcode, Spraying oil etc, Chip program/encode/lock will be available as well (URL, TEXT, Number)
Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm, G.W.: 24kg
Key Features: Waterproof, good against heat, shock & moisture
Applications: Swimming pool, Bath center, Access control, Ticket, Field operations, Waterproof inspection, Campus & more



DUAL-COLOR SILICONE (STYLE 9)

Sizes: 270*27*21MM,

Material: Silicone

Chip: NXP MIFARE S50, Desfire 2K/4K/8K, Ultralight EV1, NTAG213/215/216, ICODE SLI-X(S), Ultralight EV1
Frequency: HF(13.56MHz)

Crafts: Logo Silk printing, Laser number, Encoding, Engrave logo and filled with color

Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm , G.W.: 22.2kg

MOQ: 500pcs, **Color:** Pantone Color, **Production:** 30000pcs/week

Operating temperature: -20°C~180°C, **Writing:** 100,000 times

Applications: Swimming pools, Bath centers, Access control, Ticket, Water Park , etc.

Key Features: Water-proof, moisture-proof, shock-proof, high temperature resistance



NYLON WRISTBAND (STYLE 10)

Material: ABS shell +PVC disc tag +Nylon band

Chip: TK4100, EM4200, T5577, F08, Mifare S50/S70, NTAG213/215/216, ICODE SLI-

X(S), Ultralight EV1, Ultralight C, Alien H4, UCODE 9
Frequency: LF(125KHz), HF(13.56MHz),

UHF(860~960MHz)

Encoding: on request

Working temperature: -10°C+50°C

Crafts: Number printing (Serial No & Chip UID etc), QR, Barcode, Spraying oil etc, Chip program/encode/lock will be available as well (URL,TEXT, Number)

Operational Frequency: 125 KHz/13.56MHz

Applications: Widely used in swimming pools, natatoriums, washing centers, sauna centers, buffet consumption, attendance management & more



FABRIC WRISTBANDS (STYLE 11)

Strap Material: Polyester/ Woven/ Satin, Card Material: PVC/ Soft PVC

Strap Size: 350*15mm or customized

Card Size: 33*26mm, 40*25mm, 42*26mm, 51*28mm, or customized

Slot Punch Size: 3*21mm

Chip: TK4100, EM4200, T5577, NXP MIFARE S50/S70, Desfire 2K/4K/8K, Ultralight EV1, NTAG 213/215/216, ICODE SLi-X(S), UCODE 8

Frequency: LF(125KHz), HF(13.56MHz), UHF(860~960MHz)

Crafts: Logo Silk printing, Laser number, Encoding, Engrave logo and filled with color, etc

Packaging: 100pcs/bag, 10bags/carton, Carton size: 50*35*25cm , G.W.: 6.5kg

Key Features: Low price, Quality Assurance, Free sample, Professional design, Original design, Short



ELASTICATED FABRIC (STYLE 12)

Band Size: 145 X 20mm, 160 X 20mm, 185 X 20mm, 190 X 20mm or customized

Mini Card Size: 42 X 26mm,

Slot Punch Size: 3 X 21mm

Chip: TK4100, EM4200, EM4305, T5577, NXP MIFARE 1K, MIFARE 4K, MIFARE Desfire

2K/4K/8K, Ultralight EV1, NTAG213, NTAG215, NTAG216, ICODE SLi-X(S)

Material: Polyester & PVC

Frequency: Low frequency, High Frequency, Ultra High Frequency

Crafts: Logo silk printing, Laser number, Ink-jet number, Encoding

Encoding: on request



DISPOSABLE EVENT (STYLE 13)

Chip: NXP MIFARE 1K, MIFARE 4K, MIFARE Desfire 2K/4K/8K, F08, Ultralight EV1, NTAG213, NTAG215, NTAG216, ICODE SLI-X(S); Alien H3, T12048, SR1512, UCODE GEN2, IMPINJM4

Material: 3 Layers Vinyl


Crafts: Logo printing, Number printing (Serial No & Chip UID etc), QR, Bar code etc, Chip program/encode/lock will be available as well (URL, TEXT, Number)

Sizes: 250 X 31mm, 270 X 34mm, 252 X 40mm

Operating temperature: -40°C~80°C

Color: Vinyl Material COLOR CHART

Applications: PVC Wristbands are used widely at Nightclubs, Bars & Parties; Exhibitions, Conferences & Marketing events; Cashless payment systems & Access Control for Events.



TYVEK DISPOSABLE (STYLE 14)

Chip: NTAG213, NTAG216, MIFARE S50, Ultralight EV1, UCODE 9, Alien H4

Material: 100% recyclable material, Made with strong and durable Tyvek

Crafts: Custom Printing, barcodes available, add your own text, images, and LOGO

Sizes: 250 X 19mm, 250 X 20mm, 255 X 25mm, and 255mm X 26mm or on request

Color: Tyvek Material COLOR CHART

Packaging: 10 wristbands per sheet, 100 sheets per bag, 15 bags per carton

Carton size: 40x27x25cm, G.W.: 7.2kg

You can choose the Die Cut Closure or customize it.



WOODEN TAG/COTTON (STYLE 15)

Chip: MIFARE S50, Ultralight EV1, Ntag213

Material: Wood + Cotton Wristband

Crafts: Logo Printing, Laser engraving, barcodes

available, Encoding

Size: wood tag is 35mm X 18mm, Cotton wristband is

280mm(Adjustable)

Color: Material COLOR CHART

Packaging: TBC

Carton size: TBC



ELASTIC WRISTBAND (STYLE 16)

Chip: Mifare S50, EM4200, ATA557, Ultralight EV1, Ntag213/215/216, UCODE9

Material: Polyester, made of a special mix of nylon and cotton materials

Crafts: Printing, , Encoding, QR Code, Numbering, Laser numbers, R/W

Sizes: 185mm x 25mm, 160mm x 25mm, 145mm x 25mm, FID Inlay Strap

Custom Weaving: Choose up to 8 PMS thread colors per design

Custom Serialization: Up to 8-digit variable data or Tag UID laser engraving on back of the RFID wrap supports guest registration or social media programs.

Main Features: Elastic Wristbands are Flexible, eco-friendly and Waterproof

