Customer:	Card Name: Bamboo Wood Card
-----------	-----------------------------

Job ID#: Proof sheet: 1 Date:

Every endeavour has been made to ensure that this digital proof meets with your requirements. Please note that the final responsibility rests with you, our valued customer.

Material: Bamboo Wood	Thermal printing:	Laser engraving:	Hot stamp:
Size: 85.47-85.72mm x 53.92-54.03mm	Barcode type:	Key hole:	Hologram:
Thickness: 1.40 ± 0.1mm	Ink Jet Printing:	Contact chip:	UV Ink:
Quantity:	Encoding:	Contactless chip: Contactless 1k	Embossing:
Sample card required:	Signature Panel:	Magnetic stripe:	Scratch off:

Print with standard colours as per the artwork file provided by customer. Colour printing variance could not exceed 8%

FRONT - Colour:	twork me provided by east	FRONT	id flot exceed 670.
(1) Blank	A	Antenna	Top R
(2) Contactless 1k			1
(3)			
(4)			
(5)			E
FRONT - Personalisation:			54 mm
(1)			L)
(2)			NAME OF THE OWNER, OWNER, OWNER, OWNER, OWNER, OWNER,
(3)			
(4)	The second secon	85.5 mm	D
BACK - Colour:			
(1) Blank	р Тор	BACK	
(2)	B Top		A
(3)			
(4)			
(5)			
BACK - Personalisation:			
(1)			A THE REAL PROPERTY.
(2)			
(3)	State of the last		
(4)	The second secon		C
Packing Requirement:		THICKNESS	1.40mm
			†

Confirmed by:	
---------------	--

Job ID#: Proof sheet: 1 Date:

Every endeavour has been made to ensure that this digital proof meets with your requirements. Please note that the final responsibility rests with you, our valued customer.

Material: Beech Wood	Thermal printing:	Laser engraving:	Hot stamp:
Size: 85.47-85.72mm x 53.92-54.03mm	Barcode type:	Key hole:	Hologram:
Thickness: 1.40 ± 0.1mm	Ink Jet Printing:	Contact chip:	UV Ink:
Quantity:	Encoding:	Contactless chip: Contactless 1k	Embossing:
Sample card required:	Signature Panel:	Magnetic stripe:	Scratch off:

Print with standard colours as per the artwork file provided by customer. Colour printing variance could not exceed 8%.

FRONT - Colour: (1) Blank (2) Contactless 1k (3) (4) (5)	-	FRONT	Top B
FRONT - Personalisation: (1)	Chip—	85.5 mm	54 mm
BACK - Colour: (1) Blank (2)	-	Top	A
(2)	-	THICKNESS 1.40m	c

Confirmed by:	
---------------	--

Customer: Card Name: Birch Wood Ca

Job ID#: Proof sheet: 1 Date:

Every endeavour has been made to ensure that this digital proof meets with your requirements. Please note that the final responsibility rests with you, our valued customer.

Material: Birch Wood	Thermal printing:	Laser engraving:	Hot stamp:
Size: 85.47-85.72mm x 53.92-54.03mm	Barcode type:	Key hole:	Hologram:
Thickness: 1.40 ± 0.1mm	Ink Jet Printing:	Contact chip:	UV lnk:
Quantity:	Encoding:	Contactless chip: Contactless 1k	Embossing:
Sample card required:	Signature Panel:	Magnetic stripe:	Scratch off:

FRONT - Colour:	,			
(1) Blank		FRONT Antenna	Тор	В
(2) Contactless 1k				1
(3)	= -1			
(4)				
(5)		// / /		٤
FRONT - Personalisation:				54 mm
(1)				
(2)	Chin			
(3)				
(4)		85.5 mm	→	D
BACK - Colour:				
(1) Blank		BACK		A
(2)			THE PARTY NAMED IN	A
(3)				
(4)				
(5)		/		
BACK - Personalisation:				
(1)				
(2)				
(3)				
(4)	D			С
Packing Requirement:		THICKNESS	<u>1.40mm</u>	

Confirmed by:	
---------------	--

Customer:	Card Name: Cherry Wood Card
-----------	-----------------------------

Job ID#: Proof sheet: 1 Date:

Every endeavour has been made to ensure that this digital proof meets with your requirements.

Please note that the final responsibility rests with you, our valued customer.

Material: Cherry Wood	Thermal printing:	Laser engraving:	Hot stamp:
Size: 85.47-85.72mm x 53.92-54.03mm	Barcode type:	Key hole:	Hologram:
Thickness: 1.40 ± 0.1mm	Ink Jet Printing:	Contact chip:	UV Ink:
Quantity:	Encoding:	Contactless chip: Contactless 1k	Embossing:
Sample card required:	Signature Panel:	Magnetic stripe:	Scratch off:

Print with standard colours as per the artwork file provided by customer. Colour printing variance could not exceed 8%.

FRONT - Colour: (1) Blank		FRONT	
(0) () 0 1 11 41	Α	Antenna	Top B
(2) Contactless TK			
(4)			
(5)	the state of the s		
FRONT - Personalisation:			54 mm
(1)			·Δ
(2)	Chip		
(3)			
(4)		85.5 mm	D
BACK - Colour:			
(1) Blank		BACK	
(2)			A
(3)			
(4)			
(5)			
BACK - Personalisation:			
(1)			
(2)	100		T. Commission
(3)	2.54		
(4)	D		C
Packing Requirement:		THICKNESS	1.40mm
			†

Confirmed by:	
---------------	--

Customer: Card Name: Sapele Wood Card

Job ID#: Proof sheet: 1 Date:

Every endeavour has been made to ensure that this digital proof meets with your requirements.

Please note that the final responsibility rests with you, our valued customer.

Material: Sapele Wood	Thermal printing:	Laser engraving:	Hot stamp:
Size: 85.47-85.72mm x 53.92-54.03mm	Barcode type:	Key hole:	Hologram:
Thickness: 1.40 ± 0.1mm	Ink Jet Printing:	Contact chip:	UV Ink:
Quantity:	Encoding:	Contactless chip: Contactless 1k	Embossing:
Sample card required:	Signature Panel:	Magnetic stripe:	Scratch off:

Print with standard colours as per the artwork file provided by customer. Colour printing variance could not exceed 8%.

FRONT - Colour: (1) Blank	, ,	FRONT	
(1) Blank (2) Contactless 1k	A	Antenna	Top B
(3)			
(4)			
(5)			
FRONT - Personalisation:			54 mm
(1)			Ď.
(2)	OL:	A Secretary of the second	
(3)			
(4)		85.5 mm	D
BACK - Colour:	·		
(1) Blank		BACK	
(2)	B		A
(3)			
(4)			
(5)			
BACK - Personalisation:	7 40		
(1)			-
(2)			
(3)			
(4)	No. of Concession, Name of Street, or other Designation, Name of Street, or other Designation, Name of Street, Original Property and Name of Stree	The second secon	C
Packing Requirement:		THICKNESS	1.40mm
			†

Confirmed by:	
---------------	--

Customer:	Card Name: Walnut Wood (Card
-----------	--------------------------	------

Job ID#: Proof sheet: 1 Date:

Every endeavour has been made to ensure that this digital proof meets with your requirements. Please note that the final responsibility rests with you, our valued customer.

Material: Walnut Wood	Thermal printing:	Laser engraving:	Hot stamp:
Size: 85.47-85.72mm x 53.92-54.03mm	Barcode type:	Key hole:	Hologram:
Thickness: 1.40 ± 0.1mm	Ink Jet Printing:	Contact chip:	UV lnk:
Quantity:	Encoding:	Contactless chip: Contactless 1k	Embossing:
Sample card required:	Signature Panel:	Magnetic stripe:	Scratch off:

Print with standard colours as per the artwork file provided by customer. Colour printing variance could not exceed 8%

FRONT - Colour:	itwork life provided by custo		odia not exceed 0 %.
(1) Blank		FRONT Antenna	Top B
(2) Contactless 1k			T
(3)			
(4)			
(5)		/ / /	E
FRONT - Personalisation:			54 mm
(1)		T 7	
(2)	Chip	``\`\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
(3)	GIIIP		
(4)		85.5 mm	D D
BACK - Colour:			
(1) Blank	_B Top	BACK	
(2)	R .op		A
(3)			
(4)			
(5)			
BACK - Personalisation:			
(1)		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
(2)			
(3)			
(4)			C
Packing Requirement:		THICKNESS	1.40mm

Confirmed by:	
---------------	--